


# SPILLER ARCHITECTURAL IRONMONGERY


## AGRICULTURAL AND GATE BOLTS

Tower bolts, pressed steel body and straight shoot, available either black powder coated or bright zinc plated. Supplied complete with staple. Bolt can be parked in either thrown or withdrawn positions.




Description:	Finish	A	B	C	D	Code:
Tower bolt, straight shoot	Black	<b>110</b>	38	25x11	21	<b>BB7204,BJ</b>
Tower bolt, straight shoot	BZP	<b>110</b>	38	25x11	21	<b>BB7204,BZ</b>
Tower bolt, straight shoot	Black	<b>160</b>	38	25x11	25	<b>BB7206,BJ</b>
Tower bolt, straight shoot	BZP	<b>160</b>	38	25x11	25	<b>BB7206,BZ</b>
Tower bolt, straight shoot	Black	<b>210</b>	45	40x13	33	<b>BB7208,BJ</b>
Tower bolt, straight shoot	BZP	<b>210</b>	45	40x13	33	<b>BB7208,BZ</b>

Tower bolts, pressed steel body and cranked shoot. Supplied with flat receiving plate. Available black powder coated, zinc plated shoot. Shoot can only be parked in withdrawn position, therefore only suitable for fitting horizontally, or vertically at the base of door.



Description:	Finish	A	B	C	D	Code:
Tower bolt, cranked shoot	Black	<b>160</b>	38	30x10	25	<b>BB7306,BJ</b>

Live stock bolt, designed to require two handed operation to prevent operation by livestock. To open bolt the gravity drop stop has to be lifted, then the shoot withdrawn. Drop stop automatically engages when bolt thrown. Shoot knob of stunted size to prevent injury to animals. Supplied complete with staple. Pressed steel construction, in hot dip galvanised finish.




Description:	Finish	A	B	C	D	Code:
Livestock bolt	Galv	<b>205</b>	50	45x14	32	<b>BB7406,HG</b>

SPILLER ARCHITECTURAL IRONMONGERY, OXFORD ROAD, YEOVIL, BA21 5HR.

# SPILLER ARCHITECTURAL IRONMONGERY


## AGRICULTURAL AND GATE BOLTS

Oval padbolt, pressed steel, bright zinc plated finish. Pierced with square holes for coach bolt fixing (Coach bolts not included). Designed to accept padlock to lock bolt in either locked or withdrawn position (padlock not included) Supplied complete with staple.




Description:	Finish	A	B	C	D	Code:
Oval Padbolt,	BZP	<b>100</b>	53	30x12	26	<b>BB7504,HG</b>

Brenton or padbolt, pressed steel body, straight steel shoot. Designed to accept padlock to lock bolt in locked position (padlock not included) Supplied complete with staple. Pierced with square holes for coach bolt fixing (Coach bolts not included)



Description:	Finish	A	B	C	D	Code:
Brenton or Padbolt,	BZP	<b>185</b>	60	50x16	40	<b>BB7806,HG</b>
Brenton or Padbolt,	BZP	<b>230</b>	60	50x16	40	<b>BB7808,HG</b>
Brenton or Padbolt,	BZP	<b>285</b>	60	50x16	40	<b>BB7810,HG</b>
Brenton or Padbolt,	BZP	<b>330</b>	60	50x16	40	<b>BB7812,HG</b>

Heavy duty cross bolt, designed for fitting across the meetings styles of pairs of doors or gates. Heavy pressed steel body and straight steel shoot, hot dip galvanised. Designed to accept padlock to lock bolt in locked position (padlock not included) Supplied complete with staple.




Description:	Finish	A	B	C	D	Code:
Heavy duty cross bolt	Galv	<b>460</b>	63	135x16	145	<b>BB7918,HG</b>

SPILLER ARCHITECTURAL IRONMONGERY, OXFORD ROAD, YEOVIL, BA21 5HR.

# SPILLER ARCHITECTURAL IRONMONGERY


## AGRICULTURAL AND GATE BOLTS

Garage or Drop bolt, pressed steel saddles, steel shoot. Designed for use where the bolt needs to span a significant gap between underside of door or gate and the ground level. The saddles can be positioned to allow the required drop on the shoot. Supplied with both flat receiver plate and tubular ground socket. Available in either black or galvanised.




Description:	Finish	A	B	C	X	Code:
Garage or Drop bolt	Black	<b>300</b>	45	Adjustable	64	<b>BB8012,BJ</b>
Garage or Drop bolt	Galv	<b>300</b>	45	Adjustable	64	<b>BB8012,HG</b>
Garage or Drop bolt	Black	<b>450</b>	45	Adjustable	64	<b>BB8018,BJ</b>
Garage or Drop bolt	Galv	<b>450</b>	45	Adjustable	64	<b>BB8018,HG</b>

Sliding door drop roller bolt, for use on a swing leaf of a sliding folding door set. Bolt shoot tipped with brass roller to suit SB441?? Steel bottom track. Bright zinc plated steel, with pivoted locking hasp at head to allow the use of a padlock (padlock not included)



Description:	Finish	A	B	C	X	Code:
Sliding door drop roller bolt	BZP	<b>380</b>	45	Adjustable	52	<b>SB95570</b>

Sliding door drop bolt, for use on sliding folding door sets. Bright zinc plated steel shoot and saddles with pivoted locking hasp at head to allow the use of a padlock (padlock not included). Supplied with cast iron floor socket



Description:	Finish	A	B	C	X	Code:
Sliding door drop bolt & socket	BZP	<b>530</b>	45	Adjustable	52	<b>SB95961</b>


SPILLER ARCHITECTURAL IRONMONGERY, OXFORD ROAD, YEOVIL, BA21 5HR.

# SPILLER ARCHITECTURAL IRONMONGERY

## AGRICULTURAL AND GATE BOLTS

Heavy square section bolt, steel body and substantial square steel shoot. Shoot held firmly by concealed leaf spring. Black powder coated body, bright zinc plated shoot.


Supplied WITHOUT staple or receiving plates which may be purchased separately.



Description:	Finish	A	B	C		Code:
Heavy square section bolt	Black	<b>275</b>	58	45x16x16		<b>BB8210,BJ</b>


Monkey tail bolts, pressed steel body and steel square section shoot. Shoot held firm by concealed leaf spring. Supplied either black or hot dipped galvanised.

Supplied WITHOUT staple or receiving plates which may be purchased separately.



Description:	Finish	A	B	C		Code:
Monkey tail bolt	Black	<b>305</b>	52	45x16x16		<b>BB8412,BJ</b>
Monkey tail bolt	Galv	<b>305</b>	52	45x16x16		<b>BB8412,HG</b>
Monkey tail bolt	Black	<b>455</b>	52	45x16x16		<b>BB8418,BJ</b>
Monkey tail bolt	Galv	<b>455</b>	52	45x16x16		<b>BB8418,HG</b>
Monkey tail bolt	Black	<b>600</b>	52	45x16x16		<b>BB8424,BJ</b>
Monkey tail bolt	Galv	<b>600</b>	52	45x16x16		<b>BB8424,HG</b>
Monkey tail bolt	Black	<b>900</b>	52	45x16x16		<b>BB8436,BJ</b>
Monkey tail bolt	Galv	<b>900</b>	52	45x16x16		<b>BB8436,HG</b>

Chain operated door bolt, for use at the head of tall OUTWARD OPENING doors, shoot is spring loaded and engages into bevelled strike plate. Pressed steel body, steel shoot, all bright zinc plated. Supplied with galvanised 450mm long steel chain, with pull ring, and saddle.



Description:	Finish	A	B	C		Code:
Chain bolt, spring loaded	BZP	<b>190</b>	52	27x16x16		<b>BB8608,BZ</b>

**SPILLER ARCHITECTURAL IRONMONGERY, OXFORD ROAD, YEOVIL, BA21 5HR.**

## AGRICULTURAL AND GATE BOLTS

Foot operated door bolt, Heavy pressed steel body, forged shoot and release tread.

Bolt operated by pushing down on top tread, and released by foot pressure on face tread.

Supplied complete with flat receiving plate.

<i>Description:</i>	<i>Finish</i>	<i>A</i>	<i>B</i>	<i>C</i>	<i>Code:</i>
Foot operated door bolt	BZP	<b>190</b>	52	24x16x16	<b>BB8708,BZ</b>