


# SPILLER ARCHITECTURAL IRONMONGERY


## FLUSH BOLTS

Brass slide action cabinet flush bolt, hot forged body and shoot. Shoot held in position by leaf spring.  
Finished in polished and lacquered brass or satin chrome plate.  
Supplied with matching flat receiving plate.



Description:	A	B	C	D	Code:
Polished brass slide action flush bolt	<b>77</b>	13	9x7	20	<b>BB6003,PB</b>
Satin chrome slide action flush bolt	<b>77</b>	13	9x7	20	<b>BB6003,SC</b>

Brass slide action cabinet flush bolt, pressed brass body and extruded shoot. Shoot held in position by captive sprung plunger in shoot.  
Finished in polished and lacquered brass.  
Supplied with matching flat receiving plate.




Description:	A	B	C	D	Code:
Brass slide action flush bolt, polished brass	<b>103</b>	17	12x8	27	<b>BB6004,PB</b>
Brass slide action flush bolt, Satin nickel	<b>103</b>	17	12x8	27	<b>Bb6004,SN</b>

Eurogroove flush bolt, mazak alloy cast body, with flat steel shoot. Designed to fit within a 16mm Eurogroove preparation and compatible with matching mortice espagnolettes (See WB7203,bz etc)

Supplied with brown plastic insert socket.

Yellow passivated zinc finish.



Description:	A	B	C	D	Code:
Eurogroove flush bolt, yellow passivated	<b>250</b>	16x16	17x8		<b>BB6110,BZ</b>


SPILLER ARCHITECTURAL IRONMONGERY, OXFORD ROAD, YEOVIL, BA21 5HR.

# SPILLER ARCHITECTURAL IRONMONGERY

## FLUSH BOLTS


Aluminium, lever action, flush bolts. Hot forged body, compression sprung lever mechanism. Shoot engaged in either withdrawn and thrown positions by lever operation. Available in either, polished or satin anodised finish, may also be powder coated to match Hewi nylon door furniture. Bolts supplied complete with flat receiving plate.

To specify colour required to match Hewi furniture add the Hewi colour reference at the end of the colour coated part No, eg: BB6208,EC/99 will be finished in white/99



Description:	Finish	A	B	C	D	Code:
Aluminium lever action flush bolt,	PAA	<b>152</b>	20	14x11	38	<b>BB6206,PA</b>
Aluminium lever action flush bolt,	PAA	<b>204</b>	20	14x11	38	<b>BB6208,PA</b>
Aluminium lever action flush bolt,	PAA	<b>204</b>	25	14x11	38	<b>BB6308,PA</b>
Aluminium lever action flush bolt,	SAA	<b>153</b>	20	14x11	34	<b>BB6206,SA</b>
Aluminium lever action flush bolt,	SAA	<b>200</b>	20	14x11	34	<b>BB6206,SA</b>
Aluminium lever action flush bolt,	Col	<b>200</b>	20	14x11	34	<b>BB6208,EC/??</b>

Brass, lever action, flush bolts. Hot forged brass body, compression sprung lever mechanism. Shoot engaged in either withdrawn and thrown positions by lever operation. Available in either, polished brass, satin and polished chrome, satin nickel and BMA finishes. Bolts supplied complete with flat receiving plate.




Description:	Finish	A	B	C	D	Code:
Brass lever action flush bolt	PB	<b>154</b>	20	14x11	34	<b>BB6406,PB</b>
Brass lever action flush bolt	PB	<b>200</b>	20	14x11	34	<b>BB6408,PB</b>
Brass lever action flush bolt	PB	<b>204</b>	25	14x11	38	<b>BB6508,PB</b>
Brass lever action flush bolt	PB	<b>304</b>	25	14x11	38	<b>BB6512,PB</b>
Brass lever action flush bolt	PB	<b>457</b>	25	14x11	38	<b>BB6518,PB</b>
Brass lever action flush bolt	PB	<b>610</b>	25	14x11	38	<b>BB6524,PB</b>
Brass lever action flush bolt	SNP	<b>154</b>	20	14x11	34	<b>BB6406,SN</b>
Brass lever action flush bolt	SNP	<b>200</b>	20	14x11	34	<b>BB6408,SN</b>
Brass lever action flush bolt	SCP	<b>204</b>	25	14x11	38	<b>BB6508,SC</b>
Brass lever action flush bolt	PCP	<b>200</b>	20	14x11	34	<b>BB6408,CP</b>
Brass lever action flush bolt	BMA	<b>154</b>	20	14x11	38	<b>BB6406,IB</b>
Brass lever action flush bolt	BMA	<b>200</b>	20	14x11	38	<b>BB6408,IB</b>
Brass lever action flush bolt	BMA	<b>204</b>	25	14x11	38	<b>BB6508,IB</b>

SPILLER ARCHITECTURAL IRONMONGERY, OXFORD ROAD, YEOVIL, BA21 5HR.

# SPILLER ARCHITECTURAL IRONMONGERY


## FLUSH BOLTS

Extended shoot, lever action flush bolt. For situations where a longer shoot is required clear threshold seals of thick floor coverings. The shoot is made up of sections which allow a variety of shoot lengths to be achieved: 21mm,28mm,32mm,37mm and 41mm. Hot forged brass body, compression sprung lever mechanism. Shoot engaged in either withdrawn and thrown positions by lever operation. Available in either, polished brass or satin chrome. Bolts supplied complete with flat receiving plate.




Description:	Finish	A	B	C	D	Code:
Extended shoot flush bolt	PB	<b>204</b>	25	41x11	38	<b>BB6608,PB</b>
Extended shoot flush bolt	SCP	<b>204</b>	25	41x11	38	<b>BB6608,SC</b>

Knob slide flush bolt. Hot forged aluminium or brass with steel slide arm and brass shoot. Requires a shallower mortice than the lever action style flush bolt, however slide knob remains projected at all times. Available in either, polished anodised aluminium or polished brass finishes. Bolts supplied complete with flat receiving plate.



Description:	Finish	A	B	C	D	Code:
Aluminium knob slide flush bolt	PAA	<b>229</b>	25	16x11	38	<b>BB6709,PA</b>
Brass knob slide flush bolt	PB	<b>229</b>	25	16x11	38	<b>BB6809,PB</b>
Brass knob slide flush bolt	PB	<b>305</b>	25	16x11	38	<b>BB6812,PB</b>

Semi flush knob slide bolt, extruded aluminium body and shoot. Shallow depth makes this ideal for use on sliding folding door sets, where shoot needs to drop beside bottom guide channel. Bolt depth only 8mm.




Description:	Finish	A	B	C	D	Code:
Semi flush knob slide bolt	SAA	<b>190</b>	35	20x12x4	17	<b>SB95677</b>

SPILLER ARCHITECTURAL IRONMONGERY, OXFORD ROAD, YEOVIL, BA21 5HR.

## SPILLER ARCHITECTURAL IRONMONGERY


### FLUSH BOLTS

Antique Iron flush Bolt. Cast Malleable iron, shoot engaged in thrown and withdrawn positions. Chemically rust proofed and back powder coated. Bolt supplied complete with flat receiving plate.



<i>Description:</i>	<i>Finish</i>	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>Code:</i>
Antique iron flush bolt	DB	<b>203</b>	25	21x10	37	<b>BB6908,DB</b>

Stainless steel flush bolts, investment cast stainless steel body and stainless steel tipped shoot. Compression sprung lever mechanism, shoot engaged in either withdrawn and thrown positions by lever operation. Supplied with stainless steel flat receiving plate.



<i>Description:</i>	<i>Finish</i>	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>Code:</i>
Stainless steel flush bolt	SSS	<b>200</b>	20	16x11	34	<b>BB7008,SS</b>

SPILLER ARCHITECTURAL IRONMONGERY, OXFORD ROAD, YEOVIL, BA21 5HR.