

PANIC BOLTS AND LATCHES

Push pad panic latch, for surface mounting on single door leaves, or in conjunction with a boxed strike, on pairs of doors.

Suitable for outward opening doors hung on the left or right. The brass latchbolt is site reversible.

May be used with XB1530 and XB1540 external access knobs, or a standard round rim cylinder to provide access from outside.

Body of heavy alloy die casting, finished in silver polyester coated. Available to order colour coated to match Hewi furniture, or in plated metal finishes to match chrome, polished brass and satin stainless steel.



Complies with EN179

	DESCRIPTION	FINISH	DOOR SIZE	CODE
A	Push pad panic latch	Silver		XB1300,SE
B	Push pad panic latch	Hewi colours		XB1300,EC
C	Push pad panic latch	Chrome plated		XB1300.CP
D	Push pad panic latch	Brass plated		XB1300,EB
E	Push pad panic latch	Satin S.S plated		XB1300,ES

Horizontal bar panic latch. For surface mounting on single door leaves, or in conjunction with a boxed strike, on pairs of doors.

Suitable for outward opening doors hung on the left or right. The brass latchbolt is site reversible.

May be used with XB1530 and XB1540 external access knobs, or a standard round rim cylinder to provide access from outside.

Body of heavy alloy die casting, with steel horizontal bar, finished in silver polyester coated. Available to order colour coated to match Hewi furniture, or in plated metal finishes to match chrome, polished brass and satin stainless steel.



	DESCRIPTION	FINISH	DOOR SIZE *	CODE
A	Surface fixed panic latch	Silver	1220mm wide	XB1311,SE
B	Surface fixed panic latch	Hewi colours	1220mm wide	XB1311,EC
C	Surface fixed panic latch	Chrome plated	1220mm wide	XB1311.CP
D	Surface fixed panic latch	Brass plated	1220mm wide	XB1311,EB
E	Surface fixed panic latch	Satin S.S plated	1220mm wide	XB1311,SS

Horizontal bar can be site cut to suit door width, extra length rods can be supplied for larger door sizes

PANIC BOLTS AND LATCHES

Single door, horizontal bar panic bolt, with automatic top trip, supplied complete with easy clean floor socket. For surface mounting on single doors, or in pairs on pairs of non rebated doors.

Suitable for outward opening doors hung on the left or right. Up to 2440mm high and 1220mm wide. May be used with XB1530 and XB1540 external access knobs to provide access from outside.

Body of heavy alloy die casting, with steel horizontal and vertical bars, finished in silver polyester coated, and polished brass plated. Available to order colour coated to match Hewi furniture, or in plated metal finishes to match chrome and satin stainless steel.

Complies with EN1125



	DESCRIPTION	FINISH	DOOR SIZE *	CODE
A	Surface fixed panic bolt	Silver	2440x1220mm	XB1321,SE
B	Surface fixed panic bolt	Hewi colours	2440x1220mm	XB1321,EC
C	Surface fixed panic bolt	Chrome plated	2440x1220mm	XB1321.CP
D	Surface fixed panic bolt	Brass plated	2440x1220mm	XB1321,EB
E	Surface fixed panic bolt	Satin S.S plated	2440x1220mm	XB1321,SS

horizontal and vertical bars can be site cut to door size, extra length rods can be supplied for larger doors

Single door, push pad panic bolt, with automatic top trip, supplied complete with easy clean floor socket. For surface mounting on single doors, or in pairs on pairs of non rebated doors.

Suitable for outward opening doors hung on the left or right. Up to 2440mm high. May be used with XB1530 and XB1540 external access knobs to provide access from outside.

Body of heavy alloy die casting, with steel horizontal and vertical bars, finished in silver polyester coated. Available to order colour coated to match Hewi furniture, or in plated metal finishes to match polished brass, chrome and satin stainless steel.

Complies with EN179



	DESCRIPTION	FINISH	DOOR SIZE *	CODE
A	Surface push pad panic bolt	Silver	2440x1220mm	XB1351,SE
B	Surface push pad panic bolt	Hewi colours	2440x1220mm	XB1351,EC
C	Surface push pad panic bolt	Chrome plated	2440x1220mm	XB1351.CP
D	Surface push pad panic bolt	Brass plated	2440x1220mm	XB1351,EB
E	Surface push pad panic bolt	Satin S.S plated	2440x1220mm	XB1351,SS

Horizontal and vertical bars can be site cut to suit door size, extra length rods can be supplied for larger door sizes.

PANIC BOLTS AND LATCHES

Double door panic bolt set for pairs of outward opening doors with rebated meeting styles. Surface fixing, with automatic top trip and easy clean floor socket, will suit overall door size 2440mm high x 1830mm wide. May be used with XB1530 and XB1540 external access knobs to provide access from outside. Heavy die cast alloy body, tubular steel vertical and horizontal rods. Standard finish silver polyester coated. Available to order; colour coated to match Hewi furniture, or in metal plated finishes; to match Chrome, brass and stainless steel.



**** Discontinued ****

	DESCRIPTION	FINISH	DOOR SIZE	CODE
A	Surface double panic bolt	Silver	2440x1830mm	XB1331,SE
B	Surface double panic bolt	Hewi colours	2440x1830mm	XB1331,EC
C	Surface double panic bolt	Chrome plated	2440x1830mm	XB1331.CP
D	Surface double panic bolt	Brass plated	2440x1830mm	XB1331,EB
E	Surface double panic bolt	Satin S.S plated	2440x1830mm	XB1331,SS


Double door combination panic bolt set, comprising single panic bolt, panic latch and boxed staple. For use on pairs of outward opening doors with rebated meeting styles. The panic latch is fitted to the first opening leaf, the panic bolt to the second opening leaf. Operation of the panic latch will open that leaf only, operation of the panic bolt will release both doors.

Surface fixing, with automatic top trip and easy clean floor socket, will suit overall door size 2440mm high x 1830mm wide.

May be used with XB1530 and XB1540 external access knobs to provide access from outside.

Heavy die cast alloy body, tubular steel vertical and horizontal rods. Standard finish silver polyester coated. Available to order; colour coated to match Hewi furniture, or in metal plated finishes; to match Chrome, brass and stainless steel.

Complies with EN1125



	DESCRIPTION	FINISH	DOOR SIZE	CODE
A	Combination double panic bolt	Silver	2440x1830mm	XB1335,SE
B	Combination double panic bolt	Hewi colours	2440x1830mm	XB1335,EC
C	Combination double panic bolt	Chrome plated	2440x1830mm	XB1335.CP
D	Combination double panic bolt	Brass plated	2440x1830mm	XB1335,EB
E	Combination double panic bolt	Satin S.S plated	2440x1830mm	XB1335,SS

PANIC BOLTS AND LATCHES

Horizontal push bar latch actuator, for use with mortice dead latches or night latches (Lock supplied separately.) Pushing the horizontal bar operates the mortice lock,. Recommended lock case XB6617SC and XB6627,SC. Although, use with other lock types allows a variety of operational applications. Please consult regarding suitability.



Body of heavy alloy die casting, with steel horizontal bar, finished in silver polyester coated. Available to order colour coated to match Hewi furniture, or in plated metal finishes to match chrome, polished brass and satin stainless steel.

	DESCRIPTION	FINISH	DOOR SIZE *	CODE
A	Push bar latch actuator	Silver	1220mm wide	XB1341,SE
B	Push bar latch actuator	Hewi colours	1220mm wide	XB1341,EC
C	Push bar latch actuator	Chrome plated	1220mm wide	XB1341.CP
D	Push bar latch actuator	Brass plated	1220mm wide	XB1341,EB
E	Push bar latch actuator	Satin S.S plated	1220mm wide	XB1341,SS

Horizontal bar can be site cut to suit door width, extra length rods can be supplied for larger door sizes

External cylinder locking access knob, for use with XB13 series panic bolts and latches. Constructed in alloy die casting, either fitted with a flush mounted ,standard differ, 5 pin cylinder, or supplied without cylinder to accept Euro or UK oval master keyed cylinder (purchaser separately.) Bolt fixed from the inside prior to the fitting of the panic bolt or latch. Finished in silver grey polyester powder finish, available to order colour coated to match coloured nylon furniture.



FUNCTION:

In the locked mode the knob spins freely, disengaged from the spindle by an internal clutch mechanism. Operation of the key in the cylinder engages the knob to operate the internal panic device. Once unlocked the knob will remain operational until re locked with the key.

Description	Finish	Code
External cylinder access knob, with Euro cylinder	Silver	XB1530,SE
External cylinder access knob, WITHOUT Euro cylinder	Silver	XB1532,SE
External cylinder access knob, with UK oval cylinder	Silver	XB1534,SE
External cylinder access knob, WITHOUT UK oval cylinder	Silver	XB1536,SE

PANIC BOLTS AND LATCHES

External cylinder locking access knob, for use with XB13 series panic bolts and latches. Lighter in duty than the XB153 unit above.

Constructed in alloy die casting, fitted with a flush mounted ,standard differ, 5 pin cylinder.

Bolt fixed from the inside prior to the fitting of the panic bolt or latch.

Finished in silver grey polyester powder finish.



FUNCTION:

In the locked mode the knob spins freely, disengaged from the spindle by an internal clutch mechanism. Operation of the key in the cylinder engages the knob to operate the internal panic device. Once unlocked the knob will remain operational until re locked with the key.

Description	Finish	Code
External cylinder locking access knob, standard differ	Silver	XB1540,SE

Surface mounted alarm for use with panic bolts XB1321, XB1331,XB1351. Battery powered, the alarm is set off by operation of the panic bolt, once activated the alarm will continue to sound until reset by a key holder. The key may also be used to switch the alarm off to allow silent use of the panic bolt.

Body 137mm high x 85mm wide, made of heavy die cast alloy, mounted on secret fixed steel sub plate.

Standard finish silver polyester coated.

Recommended minimum door style width 125mm.

Door handing must be stated when ordering.



Description		Finish	Code
Panic bolt alarm, key controlled.	Left Hand	Silver	XB2055,SE/L
Panic bolt alarm, key controlled.	Right Hand	Silver	XB2055,SE/R