


**SASH WINDOW FITTINGS**

Brass sash fastener, with reeded design knob, lever arm with retaining spring.

Hot stamped brass, available polished and lacquered brass, satin brass, polished chrome, satin chrome, and BMA on brass finishes


Plate size 70x20mm each, lever arm 50mm.

	Finish:	Code:
A	Polished chrome on brass	<b>WB2010,CP</b>
B	BMA on brass	<b>WB2010,IB</b>
C	Polished brass	<b>WB2010,PB</b>
D	Satin brass	<b>WB2010,SB</b>
E	Satin chrome on brass	<b>WB2010,SC</b>



Heavy brass sash fastener, with white glazed porcelain knob, lever arm with retaining spring. Cast brass, polished and lacquered brass finish. Plate size 75x23mm each, lever arm 55mm

	Finish:	Code:
A	Polished brass, white Porcelain knob	<b>WB2012,PB</b>



“Brighton” pattern sash fastener, with spring held screw arm. Screw action pulls sashes together on securing. Helps prevent draughts and rattle.

Hot stamped brass, available polished and lacquered brass or satin chrome finish.


Plate size 48x20mm each

	Finish:	Code:
A	Polished brass	<b>WB2020,PB</b>
B	Satin chrome on brass	<b>WB2020,SC</b>




Locking “Brighton” pattern sash fasteners. Heavy hot stamped brass with spring lifting screw arm, locked with simple key. Plates size 58x23mm each.

	Finish:	Code:
A	Polished brass	<b>WB2022,PB</b>




**SASH WINDOW FITTINGS**

Die cast alloy "Brighton" pattern sash fastener. Non sprung lift arm has a ball joint, allowing it to be parked in line with the sash bottom rail. Bright zinc plated finish. Inner plate 45x28mm, outer plate 45x23mm



	Description & Finish	Code:
A	Alloy Brighton pattern sash fastener, bright zinc	<b>WB2025,BZ</b>

"Fitch" sash fastener, rotating cam secures window and draws casements together. Available either standard or Allen key locking. Hot stamped brass. Polished and lacquered finish.



Inner plate 68x23mm outer plate 68x14mm

	Finish:	Code:
A	Standard fitch fastener	<b>WB2030,PB</b>
B	Lockable fitch fastener	<b>WB2040,PB</b>

"Meakins" sash window operating set for the securing and opening of the top sash of a vertical sliding sash window. The set comprises: 1 x Box and ratchet plate, 2 x cord grips, 2 x top pulleys, 2 x light wood handles, 2 x dark wood handles, and cord. The box is fitted to the top rail of the bottom sash, at the right hand side, with the ratchet plate adjacent on the side rail of the top sash, one cord starts with a wooden handle, passes up through the box, on up and through one of the cord grips, around the pulley at the head of the frame and down to a second wooden handle. On the left hand side of the window one has just the cord, cord grip (at the same level as the right hand side), pulleys and handles. The handles are normally arranged so that one colour of grip is used to raise the window the other colour to lower the window.




A	"Meakins" sash window set, polished brass	<b>WB2100,PB</b>
---	---	------------------

**SASH WINDOW FITTINGS**


Ring sash lift, cast brass, polished and lacquered, or satin chrome plated  
Plate size 44x17mm, ring 29mm dia.

	Description & Finish	Code:
A	Sash ring lift, polished brass	WB2210,PB
B	Sash ring lift, satin chrome, on brass	WB2210,SC



Traditional hook sash lift, cast brass.  
Polished and lacquered finish.  
52mm wide x 47mm high.

	Description & Finish	Code:
A	Brass hook sash lift, polished brass	WB2220,PB



Straight brass sash lift, hot stamped brass, polished and lacquered finish.  
75x26mm

	Description & Finish	Code:
A	Straight sash lift, polished brass	WB2230,PB



Sash eye, for fitting at the head of sash windows to enable operation with a hook on pole.  
Cast brass, polished and lacquered.  
44mm wide x 55mm high.

	Description & Finish	Code:
A	Brass sash eye, polished brass	WB2250,PB

